


GEM TLM series LED indicator lights can be compatible with any access control systems. The red and green LED indicator provide visual confirmation when the door is locked or unlocked. They operate on 12/24 VDC and can be either mortise or surface mounted. The TLM-300/600-4 also includes an EXIT button to release an electrified lock.



With Jumper, the LED light remains in steady mode

Without Jumper, the LED light remains in flashing mode.



GIANNI INDUSTRIES, INC.

Tel: +886-2-2267-7986 Fax: +886-2-2267-9876 www.gianni.com.tw inquiry1@gianni.com.tw

## **TLM Series LED Indicator Lights**

Models	Voltage (VDC)	Push Button	2 Bulbs (Red & Green)	Mount	Faceplate Construction
Narrow size					
<u>TLM-100</u> TLM-100MTS	12-24	_	•	<u>Surface</u> Flush	Stainless steel
<u>TLM-300</u> TLM-300S	12/24	•	•	Flush Surface	Zinc alloy
<u>TLM-400</u> TLM-400S	12/24	_	•	<u>Flush</u> Surface	Zinc alloy
<u>TLM-600-4</u> TLM-600-S-4	12/24	•	•	<u>Flush</u> Surface	Stainless steel
<u>TLM-600N</u> TLM-600NS	12/24	_	•	Flush Surface	Stainless steel
European size					
TLM-200	12-24	_	•	Flush or Surface	Stainless steel

All dimensions in mm

## **Dimensions**

**TLM-400S TLM-300S** TLM-100MTS TLM-100 \* 30 \* 30 41 1.5 \$3.5 47 33.5 14.5 Ð Ð 0 8 15 141 4 115 ar . 0 GEM TLM-600-4 TLM-600N TLM-200 2 . 85.5 140 140 0 0 85.5 GEM 60

## **Optional Back Boxes**

**SMB-040** 115x43x32mm



**SMB-86AU-03** 85.5x85.5x38mm



## Warranty

The product is warranted against defects in material and workmanship while used in normal service for a period of 1 year from the date of sale to the original customer. The GEM policy is one of continual development and improvement; therefore GEM reserves the right to change specifications without notice.

21.5

27.5



GIANNI INDUSTRIES, INC.

Tel: +886-2-2267-7986 Fax: +886-2-2267-9876 www.gianni.com.tw inquiry1@gianni.com.tw